


# indoor play unit Semi-Trailer



Age indication



Fitness



Social skills



Fine motor skills





Imagination




Speed

## Scope of delivery








- 41x post structure: SW
- 41x post shoe: galvanised steel
- 1x hanging buoy: PVC (durable, phthalate-free)
- 4x hanging cylinder: foam, artificial leather
- 6x parapet: SW
- 40x parapet: HPL
- 4x decoration window: HPL, plexiglass
- 2x decoration tyre: HPL
- 2x decoration element: HPL
- 12x decoration timber: SW
- 4x walk-through protection: stainless steel
- 18x grid roof: SW, HPL, galvanised steel
- 6x set of grips: aluminium, plastic-coated
- 3x climbing board: HPL
- 2x vertical ladder: stainless steel rung
- 2x ladder: SW, stainless steel rung
- 21x net parapet straight: SW, HPL, PE-net
- 9x platform cushion: foam, artificial leather, velcro fastener
- 12x platform cushion mat: foam, artificial leather, velcro fastener
- 3x platform cushion ramp: foam, artificial leather, velcro fastener
- 7x platform structure: SW
- 1x pent roof long: HPL
- 1x ramp: HPL, SW
- 1x seating corner: SW
- 2x play panel grid: stainless steel
- 1x play panel steering wheel: HPL, metal
- 2x play panel gearwheel: HPL
- 1x play panel abacus: HPL, ROB
- 2x play panel tyre with slider: HPL, plastic
- 8x play panel tyre: HPL
- 24x play platform mat: SW, plywood, velcro fastener
- fittings: stainless steel














# indoor play unit Semi-Trailer



## Technical data

	Material	SW pi
	Minimum space	13,10x5,05x3,10 m
	Impact protection net	13,0 m <sup>2</sup>
	Free falling height	95 cm
	Ground constitution DE/NL/BE	Synthetic impact attenuation
	Ground constitution all except DE/NL/BE	Synthetic impact attenuation
	mx. number of users	-

## Installation information

	Foundations	-
	Fundamentlevel	-
	Assembly	2 persons/10 h
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	-
	CF concrete	-
	CF excavation	-

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height



5 11 910 012 00

# indoor play unit Semi-Trailer



**CO<sub>2</sub> emissions of the product**

**14459,6 kg**


**Material share of renewable raw materials**

**34%**

**Recyclate content**

**8%**

Circularity score



Weighted emission factor of the product\*



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024