




















# aerial cableway Bardo for hill installation 20 m



## Technical data

	Material	Robinia natural
	Minimum space	27,16x6,00x3,12 m
	Impact protection net	72,0 m <sup>2</sup>
	Free falling height	<100 cm
	Ground constitution DE/NL/BE	at least lawn
	Ground constitution all except DE/NL/BE	at least sand
	Size	length 20 m
	Largest section	Ø 20x200 cm
	Heaviest section	160 kg
	mx. number of users	1
	Certificate	-
	Tested according to standard	EN 1176 - 1/4/7

## Installation information




	Foundations	6x CF
	Fundamentlevel	ET 1000
	PF Accessories	-
	PF drainage	-
	PF concrete	-
	PF excavation	-
	CF Accessories	-
	CF drainage	1,13 m <sup>3</sup>
	CF concrete	5,61 m <sup>3</sup>
	CF excavation	16,25 m <sup>3</sup>

Legend: PF=prefabricated foundation, CF=concrete foundation, ET=burial depth, GFRP=glass-fibre reinforced plastic, VA=stainless steel, PH=platform height



5 45 005 063 00

# aerial cableway Bardo for hill installation 20 m



**Disclaimer:**

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at [gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/](https://gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/).

\* The CO<sub>2</sub>e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024