

5 40 322 121 00

Hill slide with waves wide PH 250 cm, stainless steel




Age indication



Speed

Scope of delivery









1x Hill slide with waves: stainless steel (V2A)
fittings: stainless steel (V2A)













Hill slide with waves wide PH 250 cm, stainless steel



Technical data

	Material	stainless steel
	Minimum space	7,57x4,03x4,29 m
	Impact protection net	7,5 m ²
	Free falling height	250 cm
	Ground constitution DE/NL/BE	at least lawn
	Ground constitution all except DE/NL/BE	at least lawn
	mx. number of users	1
	Tested according to standard	EN 1176 - 1/3/7

Installation information

	Foundations	2x PFs + 1x CF or 3x CF
	Fundamentlevel	ET 400
	PF Accessories	2x 5632540 + 2x 5631120
	PF drainage	-
	PF concrete	0,26 m ³
	PF excavation	0,68 m ³
	CF Accessories	3x 5631120
	CF drainage	-
	CF concrete	0,52 m ³
	CF excavation	0,78 m ³



5 40 322 121 00

Hill slide with waves wide PH 250 cm, stainless steel



CO₂ emissions of the product

688,2 kg

Material share of renewable raw materials

0%

Recyclate content

95%

Circularity score



Weighted emission factor of the product*



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024